

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S74	2978	adaptive near2 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:02
S77	7	adaptive near2 transform\$5 and filter\$4 with convolution with (edge ot border or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:05
S76	161	adaptive near2 transform\$5 and filter\$4 with convolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:05
S75	1488	adaptive near2 transform\$5 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:05
S79	4	adaptive near2 transform\$5 and filter\$4 with convolution with (edge or border or boundar\$4) and gradient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:06
S78	7	adaptive near2 transform\$5 and filter\$4 with convolution with (edge or border or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:06

S80	22	adaptive near2 transform\$5 and filter\$4 with (edge or border or boundar\$4) and gradient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:07
S81	135	adaptive near2 transform\$5 and filter\$4 with (edge or border or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:09
S82	5	adaptive near2 transform\$5 with shape and filter\$4 with (edge or border or boundar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:10
S83	0	adaptive near2 transform\$5 with shape and filter\$4 with (edge or border or boundar \$4) and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:18
S84	3	adaptive near2 transform\$5 with shape and filter\$4 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:19
S85	8	adaptive near2 transform\$5 with shape and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:23
S88	0	adaptive near2 transform\$5 with domain and pattern with transform\$5 with adpative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:29
S87	15	adaptive near2 transform\$5 with domain and pattern with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:29

S86	78	adaptive near2 transform\$5 with domain and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:29
S91	8	adaptive near2 transform\$5 with shape and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:30
S90	0	adaptive near2 transform\$5 with shape and pattern with transform\$5 with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:30
S89	0	adaptive near2 transform\$5 with domain and pattern with transform\$5 with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:30
S92	55	adapt\$5 near2 transform\$5 with shape and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:31
S93	55	adapt\$5 near2 transform\$5 with shape and (pattern or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:40
S94	77	adapt\$5 near2 transform\$5 with shape and (pattern or recognition or detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:44
S95	46	adapt\$5 near2 transform\$5 with shape and (pattern or recognition or detection) and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:48

S98	140	pattern with transform\$5 with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:09
S97	0	pattern with transform\$5 with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:09
S96	33477	pattern with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:09
S99	33	pattern with transform\$5 with adaptive and domain with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:10
S101	4	pattern with transform\$5 same adaptive near2 transform\$5 and domain with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:22
S100	66	pattern with transform\$5 same adaptive and domain with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:22
S102	23	pattern with transform\$5 same adapt\$5 near2 transform\$5 and domain with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:24
S103	34	pattern same adapt\$5 near2 transform\$5 and domain with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:31

S106	323	pattern with image and adapt \$5 near2 transform \$5 and shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:34
S105	655	pattern with image and adapt \$5 near2 transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:34
S104	4182	pattern and adapt \$5 near2 transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:34
S107	94	pattern with image and adapt \$5 near2 transform \$5 and shape with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:35
S108	470	arbitrary with shape\$4 with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:02
S112	13	arbitrary with shape\$4 with transform\$5 and pattern and domain and adapt \$6 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:03
S111	36	arbitrary with shape\$4 with transform\$5 and pattern and domain and adapt \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:03
S110	58	arbitrary with shape\$4 with transform\$5 and pattern and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:03

S109	272	arbitrary with shape\$4 with transform\$5 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:03
S114	127	shape\$4 with transform\$5 and pattern and domain and adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:08
S113	306	shape\$4 with transform\$5 and pattern and domain and adapt \$6 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:08
S115	64	shape\$4 with transform\$5 and pattern and domain and adaptive near3 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:09
S116	6	pattern and domain and adaptive near3 transform\$5 with shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:10
S117	1161	fir with convolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:51
S119	16	fir with convolution and adaptive near3 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:52
S118	73	fir with convolution and adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:52

S120	19	fir with convolution with bank	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:54
S121	27	fir with convolution with pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 13:57
S122	6	fir with convolution with operat\$4 with pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 14:10
S124	43	fir with convolution with (operation or operator) and ((picture near2 element) or pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 14:11
S123	292	fir with convolution with (operation or operator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 14:11
S125	5	fir with convolution with (operation or operator) and ((picture near2 element) or pixel) and gradient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 14:18
S126	26	region near2 based near2 wavelet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 11:08
S127	14	region near2 based near2 wavelet and adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 11:09

S128	2	"5737718".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 12:08
S129	2	"6035073".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 12:09
S130	2	"5990956".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 12:10
S131	49	shape near2 adaptive and (cosine or wavelet) and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 12:36
S132	24	shape near2 adaptive and (cosine or wavelet) and pattern and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 12:41
S133	2	"6035073".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 14:35
S134	80	shape adj adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 14:50
S135	17	shape adj adaptive with transform\$5 and (pattern or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 14:51



S137	35	shape adj adapt\$5 with transform\$5 and (pattern or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 14:55
S136	34	shape adj adapt\$4 with transform\$5 and (pattern or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 14:55
S138	4	weighted with (average or median or mean) with statistic\$2 and nonlinear with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:43
S139	7	weighted with (average or median or mean) with statistic\$2 and (nonlinear or non\$linear) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:44
S140	1	weighted with (average or median or mean) with statistic\$2 with image and (nonlinear or non \$linear) same coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:45
S141	6	weighted with (average or median or mean) with statistic\$2 with image and (nonlinear or non \$linear) and coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:46
S144	15	weighted with (average or median or mean) with statistic\$2 and (nonlinear or non\$linear) same coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:47

S143	7	weighted with (average or median or mean) with statistic\$2 and (nonlinear or non\$linear) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:47
S142	155	weighted with (average or median or mean) with statistic\$2 and (nonlinear or non\$linear) and coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:47
S146	28	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and (nonlinear or non\$linear) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:48
S145	66	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and (nonlinear or non\$linear) same coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:48
S147	92	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and (nonlinear or non\$linear or polynomial) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:50

S148	8	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and (nonlinear or non \$linear or polynomial) with coefficient and image with statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:51
S149	116	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and coefficient and image with statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:52
S150	32	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and coefficient and image with statistic \$2 and nonlinear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:54
S151	2	weighted with (average or median or mean) with (statistic\$2 or variance or deviation) and coefficient with nonlinear and image with statistic \$2 and nonlinear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 12:57
S152	13	weighted with (average or median or mean) and coefficient with nonlinear and image with statistic \$2 and nonlinear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:03

S153	13	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and image with statistic \$2 and nonlinear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:04
S155	108	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and statistic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:11
S154	13	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and image with statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:11
S156	274	weighted with (averag\$4 or median or mean) and coefficient with nonlinear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:16
S157	148	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:17
S158	98	weighted with (averag\$4 or median or mean) and coefficient with nonlinear with (function or equation) and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:18
S159	43	weighted with (averag\$4 or median or mean) and coefficient with nonlinear with (function or equation) and image and statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:25

S161	13	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and image with statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:36
S160	59	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and image and statistic \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:36
S163	33	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and statistic\$2 with (function or equation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:37
S162	20	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and statistic\$2 with (funtion or equation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:37
S164	108	weighted with (averag\$4 or median or mean) and coefficient with nonlinear and statistic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:38
S165	246	weighted with (averag\$4 or median or mean) and coefficient with (nonlinear or non\$linear) and statistic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:39
S166	42	weighted with (averag\$4 or median or mean) and coefficient with (nonlinear or non\$linear) and statistic\$2 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 13:40

S167	7	renormaliz\$5 with filter\$4 with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:24
S169	27	renormaliz\$5 with coefficient and filter with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:28
S168	79	renormaliz\$5 with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:28
S170	1	renormaliz\$5 with coefficient and filter with coefficient and (lost or missing) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:30
S172	274	filter with coefficient and (lost or missing) near6 coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:35
S171	468	filter with coefficient and (lost or missing) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:35
S173	142	filter with coefficient and (lost or missing) near6 coefficient and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/14 15:39
L2	18	filter with coefficient near5 (lost or missing) near6 coefficient and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 07:25

L4	35	filter with coefficient near10 (lost or missing) and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 07:27
L3	27	filter with coefficient near10 (lost or missing) near6 coefficient and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 07:27
L5	124	filter with coefficient and (lost or missing) near5 coefficient and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 07:28
L8	754	wavelet with (median or mean)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:33
L7	1168	wavelet with (median oe mean)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:33
L6	145	wavelet with median	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:33
L9	22	wavelet with (median or mean) with weighted	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:34
L10	112	wavelet with (median or mean or average\$4)with weighted	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:36

L11	1	wavelet with (median or mean or average\$4)with weighted and (nonlinear or non \$linear) with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 08:42
L13	1	"6757442".pn.	USPAT	OR	OFF	2010/01/15 09:07
L15	96	outlier with rejection same filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 09:09
L14	394	outlier with rejection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 09:09
L16	23	outlier with rejection same filter\$4 and filter \$4 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 09:12
L17	72	outlier with rejection and filter \$4 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 09:13
L18	36	outlier with rejection and filter \$4 with image and outlier with (image of filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 09:17
L20	68	382/276.ccls. and adapt\$4 with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 10:13



L19	1204	382/276.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 10:13
-----	------	---------------	---	----	----	---------------------

**EAST Search History (Interference)**

&lt;This search history is empty&gt;

**1/ 15/ 2010 10:14:15 AM****C:\ Documents and Settings\ Drosariovasquez\ My Documents\ EAST\ Workspaces\ 10  
Series\ 10032394\ search.wsp**